



ELSEVIER

Animal Feed Science and Technology 47 (1994) 357-359

ANIMAL FEED  
SCIENCE AND  
TECHNOLOGY

## Contents of *Animal Feed Science and Technology*, Volume 47

VOL. 47 NOS. 1-2

MAY 1994

An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle J.L. De Boever, B.G. Cottyn, J.M. Vanacker and Ch.V. Boucqué (Melle-Gontrode, Belgium) .....	1
Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs W. Eeckhout and M. De Paepe (Melle-Gontrode, Belgium) .....	19
Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants M.A. McNiven (Charlottetown, P.E.I., Canada), R.M.G. Hamilton (Kentville, N.S., Canada), P.H. Robinson (Fredericton, N.B., Canada) and J.W. DeLeeuw (Charlottetown, P.E.I., Canada) .....	31
Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows A. Chermiti (Ariana, Tunisia), E. Teller, M. Vanbelle, G. Collignon and B. Matatu (Louvain-la-Neuve, Belgium) .....	41
Forage quality, productivity and feeding value to beef cattle of quackgrass ( <i>Elytrigia repens</i> (L.) Nevski.) compared with timothy ( <i>Phleum pratense</i> L.) Y. Martineau, G.D. Leroux and J.R. Seoane (Quebec, Que., Canada) .....	53
Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves J.P. Sehgal and G.S. Makkar (Ludhiana, India) .....	61
Effect of level of intake of kikuyu ( <i>Pennisetum clandestinum</i> ) grass hay on the flow of protozoal nitrogen to the omasum of cattle B.S. Punia and J. Leibholz (Camden, N.S.W., Australia) .....	77
Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO <sub>2</sub> -treated wheat straw D. Ben-Ghedalia, E. Yosef, J. Miron (Bet Dagan, Israel), A. Huttermann, A. Majcherczyk and O. Milstein (Gottingen, Germany) .....	89
The vitamin D <sub>3</sub> and prehepatocholecalciferol content of menhaden fish meal as affected by drying conditions K.C. Scott and J.D. Latshaw (Columbus, OH, USA) .....	99
Lactic acid fermentation in silage preserved with formic acid T. Moisio and M. Heikonen (Helsinki, Finland) .....	107
Nutritional and antinutritional characteristics of selected <i>Vicia</i> genotypes V.A. Aleator, A.V. Goodchild and A.M. Abd El Moneim (Aleppo, Syria) .....	125

The effect of NH <sub>3</sub> and/or SO <sub>2</sub> on the compositional and histological characteristics of sorghum stover	
M. Leal (Cuautitlán-Izcalli, Mexico), A. Shimada (Ajuchitlán, Mexico) and E. Hernández (Cuautitlán-Izcalli, Mexico) .....	141
The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens	
C. Prieto, J.F. Aguilera, M. Lachica, I. Fernandez-Figares, L. Perez, R. Nieto (Granada, Spain) and G. Ferrando (Santiago, Chile) .....	151

#### Short communications

The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs	
H.A. Fashina-Bombata (Apapa, Nigeria) and O.A. Fanim (Lagos, Nigeria) .....	165
Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs	
H.A. Fashina-Bombata (Apapa, Nigeria), O.A. Fanim (Lagos, Nigeria) and K. Weingertner (Ibadan, Nigeria) .....	171

Announcement from the Publisher .....	177
---------------------------------------	-----

### VOL. 47 NOS. 3-4

JUNE 1994

Processing of feather meal to maximize its nutritional value for poultry	
J.D. Latshaw, N. Musharaf (Columbus, OH, USA) and R. Retrum (Estes Park, CO, USA) .....	179
Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo	
J.B. Liang (Kuala Lumpur, Malaysia), M. Matsumoto (Iwate, Japan) and B.A. Young (Lawes, Qld., Australia) .....	189
The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrates	
J.C. Elizalde, F.J. Santini (Balcarce, Argentina) and A.M. Pasinato (Tandil, Argentina) .....	201
The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred ( <i>Bos taurus</i> × <i>Bos indicus</i> ) steers fed native grass hay	
H. Khalili and P.O. Osuji (Addis Ababa, Ethiopia) .....	213
The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days	
J. Wiseman (Loughborough, UK) and A. Blanch (Barcelona, Spain) .....	225
Utilization of cocoa-pod pericarp fractions in broiler chick diets	
O. Sobamiwa and O.G. Longe (Ibadan, Nigeria) .....	237
Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves	
M.L. Crowley (Vancouver, B.C., Canada), L.J. Fisher (Agassiz, B.C., Canada) and B.D. Owen (Vancouver, B.C., Canada) .....	245
Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs	

L.A. Forster, Jr., A.L. Goetsch, D.L. Galloway, Sr., W. Sun, A.R. Patil and Z.B. Johnson (Fayetteville, AR, USA) .....	259
Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep	
T. Kondo, T. Ohshita and T. Kyuma (Morioka, Japan) .....	277
Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs	
G. Stanogias, G.R. Pearce (Parkville, Vic., Australia), T. Alifakiotis, J. Michaelidis and B. Pappa-Michaelidis (Thessaloniki, Greece) .....	287
A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia	
N. Nishino (Okayama, Japan), M. Ohshima (Aichi, Japan) and S. Uchida (Okayama, Japan) .....	297
The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species	
K. Khazaal and E.R. Ørskov (Aberdeen, UK) .....	305
The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique	
J.R. Ingalls and R.C. Okemo (Winnipeg, Man., Canada) .....	321
The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates	
A.R. Moss and D.I. Givens (Stratford on Avon, UK) .....	335
<b>Author Index</b> .....	353